

ALUMINIUM BANNER STANDS

Maizey Plastics offers an extensive range of lightweight and easy to assembly banner stands for use in promotional campaigns, activations, shopping malls or conferences. Our banner products are complimented with our range of digital print media for perfect prints.

From non-curl PVC, PET or textiles, Maizey has a substrate to help communicate your marketing message.

ROLL-UP BANNER V13 ECO

Unit Size (mm): 850 x 2000
Graphic Size (mm): 850 x 1970

- 1.6kg
- Lightweight, durable and portable
- Consists of aluminium base with black plastic end caps
- Quick to assemble and erect
- Suggested Media: PVC Banner or Mesh, Textile, PET Film, PP film, Encapsulated Paper, Tyvek Banner and non-curl, unsupported PVC (MAX 450 grams PVC Banner - heavier gauge materials NOT recommended)



ROLL-UP BANNER - V22

Graphic Size (mm):
Banner: 850 x 2000 | To view: 850 x 1940

- 3.5kg
- Banner mechanism made of quality aluminium
- Lightweight, durable and portable
- Quick to assemble and erect
- Suggested Media: PVC Banner or Mesh, Textile, PET Film, PP film, Encapsulated Paper, Tyvek Banner and non-curl, unsupported PVC (MAX 450 grams PVC Banner - heavier gauge materials NOT recommended)





DISPLAY BANNER - GS901

Unit Size (mm): 850 x 2081
Graphic Size (mm):
Springs: 750 x 1900 | Pocket: 850 x 2040

- 2.6kg
- Made of durable aluminium profiles
- Lightweight and portable with foldable base
- Quick to assemble and erect
- For single or double sided display
- When using the spring option a 12 diameter eyelet is recommended
- Suggested Media: PVC Banner or Mesh, Textile, PET Film, PP film, Encapsulated Paper, Tyvek Banner, non-curl, unsupported PVC and rigid substrates such as Acrylic.



DISPLAY BANNER STAND - GS912

Unit Size (mm): 1200 x 2300
Graphic Size (mm):
Springs: 1045 x 2050 | Pocket: 1200 x 2260


- 3.5kg
- Made of durable aluminium profiles
- Lightweight and portable with foldable base
- Quick to assemble and erect
- For single or double sided display
- When using the spring option a 12 diameter eyelet is recommended
- Suggested Media: PVC Banner or Mesh, Textile, PET Film, PP film, Encapsulated Paper, Tyvek Banner, non-curl, unsupported PVC and rigid substrates such as Acrylic.



POSTER BANNER - GS9012N

Unit Size (mm): 2900 x 2300
Graphic Size (mm): 2900 x 2260
Spring (mm): 2760 x 2160

- 5,8kg
- Made of durable aluminium profiles
- Lightweight and portable with foldable feet
- Double sided display, for indoor use
- Quick to assemble and erect
- When using the spring option a 12 diameter eyelet is recommended
- Suggested Media: Textiles, Tyvek Banner and non-curl, unsupported PVC
- Bag included






MULTI BANNER - X FRAME (PLASTIC)

Graphic Size (mm): 600 x 1600 | 800 x 1800

- 0.9kg | 1kg
- Lightweight and durable
- Consists of aluminium, fiberglass and plastic connectors
- Suggested media: PVC Banner or Mesh, Textile, PET Film, PP film, Encapsulated Paper, Tyvek Banner and non-curl, unsupported PVC
- Use of eyelets recommended

NOTES :


Multi Banner Eyelet position specifications



* Units sold separately no banners/posters included.

Roll-up banner specifications

* Always ensure that there is a minimum of 50mm text bleed to the inside of your banner.



SUSPENSION PROFILE

BANNER CLIP

Unit Size (mm): 600 | 900 | 1200

- Made of durable aluminium and plastic endcaps
- A set contain: Top clip for banner and suspension hooks
Bottom clip for support and flatness of banner
- Quick to assemble and erect
- For indoor displays - single or double sided applications
- Suggested Media: PVC Banner or Mesh, Textile, PET Film, PP film, Encapsulated Paper, Tyvek Banner and non-curl, unsupported PVC.
(MAX 450 grams PVC Banner - heavier gauge materials NOT recommended)



POSTER HANGER

Unit Size: 3m lengths

Spare Parts: 4 end caps & 2 hanging hooks

- Made of durable aluminium and plastic endcaps
- Can be suspended at the top or both top and bottom of banner
- Quick to assemble and erect - image slides into aluminium profile
- For indoor displays - single or double sided applications
- Suggested Media: PVC Banner or Mesh, Textile, PET Film, PP film, Encapsulated Paper, Tyvek Banner and non-curl, unsupported PVC. (MAX 450 grams PVC Banner - heavier gauge materials NOT recommended)



SAFETY SIGN ALUMINIUM PROFILE

An aluminium framing solution for emergency and safety signs for double or single sided applications.

- Double sided application allows a maximum of 2mm substrate per side. Once frame is in place the corners can be glued to the frame to secure the substrate and hold the frame.
- Aluminium profiles in 3m lengths, available in Mill and Silver (Anodised) finish.




SAFETY SIGN CORNER - GREY



product code

ALSSAFETYSIGN/CNR

SAFETY SIGN WALL MOUNT SET - GREY



product code

ALSSAFETYSIGN/WMSET

(4 - corners & 2 - wall mount clips)

SAFETY SIGN HANGER SET - GREY



product code

ALSSAFETYSIGN/HANGSE

(4 - corners & 2 - suspension clips)

SAFETY SIGN ALUMINIUM PROFILE

product code (mill finish)

ALSSAFETYSIGN/M

product code (silver/anodised finish)

ALSSAFETYSIGN/S

